

COSBER



LEAFLET

CAR Suspension tester
COSBER C-ESC Series

SUSPENSION TESTER

- The perfect option for your existing COSBER brake test bench to upgrade to test lane.
- Developed according to the EUSAMA principle.
- Extremely robust and low-maintenance mechanics for optimal service life.
- Fast and precise axle damping test.
- Attenuation graphs included in the report (PC version required).
- Galvanized surface.
- Weight scale included.



Model	COSBER C-ESC20
Article number	20.61.15.0013
Maximum drive-over load	3,000 kg
Maximum test load	1,500 kg
Test plate size (L x W)	700 x 300 mm
Amplitude / Frequency	6 mm / 15 Hz
Wheel diameter	400 – 800 mm
Track width	800 – 2,200 mm
Power	2x 4.0 kW
Dimensions (L x W x H)	2,320 x 430 x 275 mm
Weight	346 kg
Sound level (EN ISO 11204)	≤ 70 dB(A)
Power supply	AC 3Ph 380V / 50Hz
Operating temperature	0 – 40 °C
Operating humidity	≤ 90 %

SUSPENSION TESTER

- The perfect option for your existing COSBER brake test bench to upgrade to test lane.
- Developed according to the EUSAMA principle.
- Extremely robust and low-maintenance mechanics for optimal service life.
- Fast and precise axle damping test.
- Attenuation graphs included in the report (PC version required).
- Galvanized surface.
- Weight scale included.



Model	COSBER C-ESC70
Article number	20.61.15.0015
Maximum drive-over load	15,000 kg
Maximum test load	1,500 kg
Test plate size (L x W)	700 x 400 mm
Amplitude / Frequency	6 mm / 20 Hz
Wheel diameter	400 – 800 mm
Track width	800 – 2,200 mm
Power	2x 4.0 kW
Dimensions (L x W x H)	1,200 x 550 x 325 mm
Weight	346 kg
Sound level (EN ISO 11204)	≤ 70 dB(A)
Power supply	AC 3Ph 380V / 50Hz
Operating temperature	0 – 40 °C
Operating humidity	≤ 90 %



Tel.: +49 (0) 89 262 07 66-00
Fax: +49 (0) 89 262 07 66-60
E-Mail: info@cosber.de
Web: www.cosber.eu

Fax: +49 (0) 89 262 07 66-60

E-Mail: info@cosber.de

Web: www.cosber.eu